

**IN THE CLAIMS:**

The text of all pending claims (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (Original), (Currently Amended), (Cancelled), (Withdrawn), (New), (Previously Presented), or (Not Entered).

Please AMEND claims 1, 2, 4, 7, 9, 10, 14, 18 and 20 in accordance with the following:

1. (Currently Amended) A sound signal recognition system, comprising:  
a sound signal input part ~~for~~ receiving a sound signal including either one selected from a voice signal section ~~and~~ or a DTMF signal section, ~~or both sections;~~  
a sound signal analyzing part calculating a feature value by conducting an acoustic process for each segment, of a sound signal section, to be a recognition unit with respect to an inputted sound signal;  
a matching part including a voice signal model and a DTMF signal model, matching the feature value inputted from the sound signal analyzing part with ~~for conducting a matching process of the sound signal inputted from the sound signal input part by using both the voice signal model and the DTMF signal model for reference;~~ and  
a sound signal recognizing part including a language model, ~~for~~ recognizing the sound signal by using the matching result of the matching part and the language model,  
wherein a sound signal recognition process is conducted with respect to the sound signal including either one selected from the voice signal section and the DTMF signal section or both sections.
2. (Currently Amended) A sound signal recognition system according to claim 1, wherein the sound signal recognizing part selects a better result by comparing the matching result using the voice signal model with the matching result using the DTMF signal model in the matching part for each segment of a sound signal section serving as a recognition unit, the sound signal recognition system further comprising an integrating part ~~for~~ connecting sound signal recognition results selected by the sound signal recognizing part and integrating them as a total sound signal recognition result with respect to all the sections of the input sound signal.
3. (Original) A sound signal recognition system according to claim 2, wherein the language model is capable of including a DTMF signal as sound signal recognition vocabulary.

4. (Currently Amended) A sound signal recognition system according to claim 2, further comprising:

a guidance part ~~for~~ providing a user who performs sound signal input via the sound signal input part with guidance on whether a specific vocabulary is to be input as sound signal input by a voice or sound signal input by a DTMF signal.

5. (Original) A dialog control system including a sound signal recognition system of claim 2, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

6. (Original) A sound signal recognition system according to claim 1, wherein the language model is capable of including a DTMF signal as sound signal recognition vocabulary.

7. (Currently Amended) A sound signal recognition system according to claim 6, further comprising a guidance part ~~for~~ providing a user who performs sound signal input via the sound signal input part with guidance on whether a specific vocabulary is to be input as sound signal input by a voice or sound signal input by a DTMF signal.

8. (Original) A dialog control system including a sound signal recognition system of claim 6, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

9. (Currently Amended) A sound signal recognition system according to claim 1, further comprising a guidance part ~~for~~ providing a user who performs sound signal input via the sound signal input part with guidance on whether a specific vocabulary is to be input as sound signal input by a voice or sound signal input by a DTMF signal.

10. (Currently Amended) A sound signal recognition system according to claim 9, wherein upon detecting that a misidentification rate of a sound signal inputted by a voice for a specific vocabulary is high under predetermined conditions, the integrating part notifies the guidance part of instruction information ~~for~~ on outputting guidance ~~for~~ regarding asking the user to conduct re-input of the sound signal by a DTMF signal for the specific vocabulary.

11. (Original) A dialog control system including a sound signal recognition system of claim 10, which controls a dialog flow with a user, based on a sound signal recognition result

according to the sound signal recognition system.

12. (Original) A sound signal recognition system according to claim 9, wherein when the integrating part estimates and holds a misidentification rate in the matching result.

13. (Original) A dialog control system including a sound signal recognition system of claim 12, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

14. (Currently Amended) A sound signal recognition system according to claim 9, wherein the guidance part ~~has a function of notifying~~ notifies a user of correspondence between a DTMF signal and a vocabulary in advance.

15. (Original) A dialog control system including a sound signal recognition system of claim 14, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

16. (Original) A dialog control system including a sound signal recognition system of claim 9, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

17. (Original) A dialog control system including a sound signal recognition system of claim 1, which controls a dialog flow with a user, based on a sound signal recognition result according to the sound signal recognition system.

18. (Currently Amended) A sound signal recognition method, comprising:  
inputting a sound signal including either one selected from a voice signal section ~~and or~~ a DTMF signal section, or both sections;

calculating a feature value by conducting an acoustic process for each segment of a sound signal section to be a recognition unit with respect to an inputted sound signal;

matching the feature value inputted from the sound signal analyzing part with the input sound signal by using both a voice signal model and a DTMF signal model;

recognizing the sound signal by using the matching result and a language model; and

conducting a sound signal recognition process with respect to the sound signal including either one selected from the voice signal section and the DTMF signal section or both sections.

19. (Original) A dialog control method including the sound signal recognition method of claim 18, which controls a dialog flow with a user, based on a sound signal recognition result using the sound signal recognition method.

20. (Currently Amended) A sound signal recognition program for executing a sound signal recognition process with respect to an input sound signal including either one selected from a voice signal section and a DTMF signal section or both sections, the program comprising:

a sound signal input processing operation of inputting a sound signal including either one selected from a voice signal section ~~and~~ or a DTMF signal section, or both sections;

a sound signal analyzing operation calculating a feature value by conducting an acoustic process for each segment of a sound signal section to be a recognition unit with respect to an inputted sound signal;

a matching processing operation of matching the feature value inputted from the sound signal analyzing part with ~~conducting a matching process of the sound signal inputted in the sound signal input processing operation by using~~ both a voice signal model and a DTMF signal model; and

a sound signal recognition processing operation of performing recognition of the sound signal by using a language model based on a matching result in the matching processing operation, the language model including a word dictionary and grammar.